

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
 Rheem RHEEM  
 Ruud RUUD  
 Brand Models

Element: 'D' Double; 'S' Single  
 ↑ 1st Hour Rating Gal.  
 ↑ Energy Factor

**Warranty**

Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts	
<b>TALL 30 GALLON</b>									
Rheem	81V30 D	30	4500	D	48	0.89	17	45	6-Year 6-Year
Ruud	PE30-2	30	4500	D	48	0.89	17	45	6-Year 6-Year
Rheem	82VR30-2	30	4500	D	45	0.90	19	45	6-Year 6-Year
Ruud	EVR30-2	30	4500	D	45	0.90	19	45	6-Year 6-Year
Rheem	RHE PRO 30-2	30	4500	D	45	0.90	19	45	6-Year 6-Year
Ruud	RUE PRO 30-2	30	4500	D	45	0.90	19	45	6-Year 6-Year
AWHC	<b><u>E62-30H-045DV</u></b>	30	4500	D	43	0.93	18	45 1/4	6-Year 6-Year
Rheem	<b><u>82V30-2</u></b>	30	4500	D	48	0.93	17 3/4	45 3/4	6-Year 6-Year
Ruud	<b><u>PE2-30-2</u></b>	30	4500	D	48	0.93	17 3/4	45 3/4	6-Year 6-Year
Rheem	81X30 D	30	4500	D	48	0.89	17	45	10-Year 1-Year
Ruud	ME30-2	30	4500	D	48	0.89	17	45	10-Year 1-Year
Rheem	82XR30-2	30	4500	D	45	0.90	19	45	10-Year 1-Year
Ruud	EXR30-2	30	4500	D	45	0.90	19	45	10-Year 1-Year
<b>TALL 40 GALLON</b>									
Rheem	81VH40 D	40	4500	D	53	0.88	17	58 1/2	6-Year 6-Year
Ruud	PEH40-2	40	4500	D	53	0.88	17	58 1/2	6-Year 6-Year
Rheem	RHEH PRO40-2	40	4500	D	53	0.88	17	58 1/2	6-Year 6-Year
Ruud	RUEH PRO40-2	40	4500	D	53	0.88	17	58 1/2	6-Year 6-Year
AWHC	<b><u>E62-40H-045DV</u></b>	40	4500	D	50	0.92	18	59	6-Year 6-Year
Rheem	<b><u>82VH40-2</u></b>	40	4500	D	57	0.92	17 3/4	59 1/4	6-Year 6-Year
Ruud	<b><u>PE2H-40-2</u></b>	40	4500	D	57	0.92	17 3/4	59 1/4	6-Year 6-Year
Rheem	81XH40 D	40	4500	D	53	0.88	17	58 1/2	10-Year 1-Year
Ruud	MEH40-2	40	4500	D	53	0.88	17	58 1/2	10-Year 1-Year
AWHC	<b><u>E92-40H-045DV</u></b>	40	4500	D	50	0.92	18	59	9-Year 9-Year
Rheem	<b><u>RHEH PRO40-2</u></b>	40	4500	D	57	0.92	17 3/4	59 1/4	8-Year 8-Year
Ruud	<b><u>RUEH PRO40-2</u></b>	40	4500	D	57	0.92	17 3/4	59 1/4	8-Year 8-Year
AWHC	<b><u>E123-40H-045DV</u></b>	40	4500	D	50	0.92	20	59	12-Year 12-Year
Rheem	<b><u>MR40245</u></b>	40	4500	D	52	0.94	21 3/4	61 1/2	Lifetime 6-Year
<b>TALL 50 GALLON</b>									
Rheem	81V52 D	50	4500	D	61	0.88	19	56 1/2	6-Year 6-Year
Ruud	PE52-2	50	4500	D	61	0.88	19	56 1/2	6-Year 6-Year
Rheem	<b><u>82V52-2</u></b>	50	4500	D	58	0.91	19	57	6-Year 6-Year
Ruud	<b><u>PE2-52-2</u></b>	50	4500	D	58	0.91	19	57	6-Year 6-Year
AWHC	<b><u>E62-50H-045DV</u></b>	50	4500	D	68	0.91	20	58 1/2	6-Year 6-Year
Rheem	82VR52-2	50	4500	D	61	0.92	21	56 1/2	6-Year 6-Year
Ruud	EVR52-2	50	4500	D	61	0.92	21	56 1/2	6-Year 6-Year
Rheem	RHE PRO 52-2	50	4500	D	61	0.92	21	56 1/2	6-Year 6-Year
Ruud	RUE PRO 52-2	50	4500	D	61	0.92	21	56 1/2	6-Year 6-Year
Rheem	<b><u>83VR52-2</u></b>	50	4500	D	67	0.93	22 1/4	57	6-Year 6-Year
Ruud	<b><u>PE3R-52-2</u></b>	50	4500	D	67	0.93	22 1/4	57	6-Year 6-Year
AWHC	<b><u>E63-50H-045DOV</u></b>	50	4500	D	68	0.93	22	59 1/4	6-Year 6-Year
Rheem	81X52 D	50	4500	D	61	0.88	19	56 1/2	10-Year 1-Year
Ruud	ME52-2	50	4500	D	61	0.88	19	56 1/2	10-Year 1-Year
AWHC	<b><u>E92-50H-045DV</u></b>	50	4500	D	68	0.91	20	58 1/2	9-Year 9-Year
Rheem	82XR52-2	50	4500	D	61	0.92	21	56 1/2	10-Year 1-Year
Ruud	EXR52-2	50	4500	D	61	0.92	21	56 1/2	10-Year 1-Year
Rheem	<b><u>RHE PRO 52-2</u></b>	50	4500	D	67	0.94	22 1/4	57	8-Year 8-Year
Ruud	<b><u>RUE PRO 52-2</u></b>	50	4500	D	67	0.94	22 1/4	57	8-Year 8-Year
AWHC	<b><u>E123-50H-045DOV</u></b>	50	4500	D	68	0.93	22	59 1/4	12-Year 12-Year
Rheem	<b><u>MR50245</u></b>	50	4500	D	61	0.94	23 1/2	62 3/4	Lifetime 6-Year

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
 Rheem RHEEM  
 Ruud RUUD  
 Brand Models

Element: 'D' Double; 'S' Single  
 ↑ 1st Hour Rating Gal.  
 ↑ Energy Factor

**Warranty**

Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts	
<b>TALL 66 GALLON</b>									
Rheem 81V66 D	65	4500	D	71	0.87	21	58	6-Year	6-Year
Ruud PE66-2	65	4500	D	71	0.87	21	58	6-Year	6-Year
Rheem <b><u>82V66-2</u></b>	65	4500	D	71	0.89	21	58 1/2	6-Year	6-Year
Ruud <b><u>PE2-66-2</u></b>	65	4500	D	71	0.89	21	58 1/2	6-Year	6-Year
AWHC <b><u>E62-65H-045DV</u></b>	66	4500	D	73	0.90	22	59 1/4	6-Year	6-Year
Rheem <b><u>83VR66-2</u></b>	65	4500	D	71	0.91	23	58 3/4	6-Year	6-Year
Ruud <b><u>PE3R-66-2</u></b>	65	4500	D	71	0.91	23	58 3/4	6-Year	6-Year
Rheem 82VR66-2	65	4500	D	71	0.91	23	58 1/4	6-Year	6-Year
Ruud EVR66-2	65	4500	D	71	0.91	23	58 1/4	6-Year	6-Year
Rheem RHE PRO 66-2	65	4500	D	71	0.91	23	58 1/4	6-Year	6-Year
Ruud RUE PRO 66-2	65	4500	D	71	0.91	23	58 1/4	6-Year	6-Year
Rheem 81X66 D	65	4500	D	71	0.87	21	58	10-Year	1-Year
Ruud ME66-2	65	4500	D	71	0.87	21	58	10-Year	1-Year
Ruud EXR66-2	65	4500	D	71	0.90	23	58 1/4	10-Year	1-Year
AWHC <b><u>E92-65H-045DV</u></b>	66	4500	D	73	0.90	22	59 1/4	9-Year	9-Year
Rheem 82XR66-2	65	4500	D	71	0.91	23	58 1/4	10-Year	1-Year
Rheem <b><u>RHE PRO 66-2</u></b>	65	4500	D	71	0.92	23	58 3/4	8-Year	8-Year
Ruud <b><u>RUE PRO 66-2</u></b>	65	4500	D	71	0.92	23	58 3/4	8-Year	8-Year
AWHC <b><u>E123-65H-045DCV</u></b>	66	4500	D	73	0.91	24	60 1/4	12-Year	12-Year
<b>TALL 80 GALLON</b>									
Rheem 81V80 D	80	4500	D	92	0.82	23	58 1/2	6-Year	6-Year
Ruud PE80-2	80	4500	D	92	0.82	23	58 1/2	6-Year	6-Year
Rheem <b><u>82V80-2</u></b>	80	4500	D	87	0.86	23	59	6-Year	6-Year
Ruud <b><u>PE2-80-2</u></b>	80	4500	D	87	0.86	23	59	6-Year	6-Year
AWHC <b><u>E62-80H-045DV</u></b>	80	4500	D	89	0.87	24	59 1/4	6-Year	6-Year
Ruud EVR80-2	80	4500	D	88	0.88	24 1/2	58 1/2	6-Year	6-Year
Rheem <b><u>83VR80-2</u></b>	80	4500	D	88	0.90	24 1/2	59	6-Year	6-Year
Ruud <b><u>PE3R-80-2</u></b>	80	4500	D	88	0.90	24 1/2	59	6-Year	6-Year
Rheem 82VR80-2	80	4500	D	88	0.90	24 1/2	58 1/2	6-Year	6-Year
Rheem RHE PRO 80-2	80	4500	D	88	0.90	24 1/2	58 1/2	6-Year	6-Year
Ruud RUE PRO 80-2	80	4500	D	88	0.90	24 1/2	58 1/2	6-Year	6-Year
Rheem 81X80 D	80	4500	D	92	0.82	23	58 1/2	10-Year	1-Year
Ruud ME80-2	80	4500	D	92	0.82	23	58 1/2	10-Year	1-Year
AWHC <b><u>E92-80H-045DV</u></b>	80	4500	D	89	0.87	24	59 1/4	9-Year	9-Year
Rheem 82XR80-2	80	4500	D	88	0.90	24 1/2	58 1/2	10-Year	1-Year
Ruud EXR80-2	80	4500	D	88	0.90	24 1/2	58 1/2	10-Year	1-Year
Rheem <b><u>RHE PRO 80-2</u></b>	80	4500	D	88	0.92	24 1/2	59	8-Year	8-Year
Ruud <b><u>RUE PRO 80-2</u></b>	80	4500	D	88	0.92	24 1/2	59	8-Year	8-Year
AWHC <b><u>E123-80H-045DCV</u></b>	80	4500	D	89	0.91	26	60 1/4	12-Year	12-Year
Rheem <b><u>MR85245</u></b>	85	4500	D	91	0.92	28 1/4	66 1/4	Lifetime	6-Year
<b>TALL 120 GALLON</b>									
Rheem 81V120 D	120	4500	D	110	0.81	28 1/4	62	6-Year	6-Year
Ruud PE120-2	120	4500	D	110	0.81	28 1/4	62	6-Year	6-Year
AWHC <b><u>E62-119R-045DV</u></b>	119	4500	D	115	0.83	28	61 1/2	6-Year	6-Year
Rheem <b><u>82V120-2</u></b>	120	4500	D	99	0.85	28 1/4	62 1/2	6-Year	6-Year
Ruud <b><u>PE2-120-2</u></b>	120	4500	D	99	0.85	28 1/4	62 1/2	6-Year	6-Year
Rheem 81X120 D	120	4500	D	110	0.81	28 1/4	62	10-Year	1-Year
Ruud ME120-2	120	4500	D	110	0.81	28 1/4	62	10-Year	1-Year
Rheem <b><u>MR105245</u></b>	105	4500	D	104	0.91	30 1/4	66 3/4	Lifetime	6-Year

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
 Rheem RHEEM  
 Ruud RUUD  
 Brand Models

Element: 'D' Double; 'S' Single  
 ↑ 1st Hour Rating Gal.  
 ↑ Energy Factor

**Warranty**

Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts	
<b><u>REGULAR 30 GALLON</u></b>									
Rheem	81MV30 D	30	4500	D	40	0.89	19	35 1/4	6-Year 6-Year
Ruud	PEM30-2	30	4500	D	40	0.89	19	35 1/4	6-Year 6-Year
AWHC	<b><u>E62-30L-045DV</u></b>	28	4500	D	40	0.93	22	29 1/2	6-Year 6-Year
Rheem	<b><u>82MV30-2</u></b>	30	4500	D	44	0.93	19 3/4	36	6-Year 6-Year
Ruud	<b><u>PE2M-30-2</u></b>	30	4500	D	44	0.93	19 3/4	36	6-Year 6-Year
Rheem	81MX30 D	30	4500	D	40	0.89	19	35 1/4	10-Year 1-Year
Ruud	MEM30-2	30	4500	D	40	0.89	19	35 1/4	10-Year 1-Year
Rheem	<b><u>RHEM PRO30-2</u></b>	30	4500	D	44	0.93	19 3/4	36	8-Year 8-Year
Ruud	<b><u>RUEM PRO30-2</u></b>	30	4500	D	44	0.93	19 3/4	36	8-Year 8-Year
<b><u>REGULAR 40 GALLON</u></b>									
Rheem	81V40 D	40	4500	D	53	0.88	19	46	6-Year 6-Year
Ruud	PE40-2	40	4500	D	53	0.88	19	46	6-Year 6-Year
Rheem	82VR40-2	40	4500	D	56	0.91	21	45 3/4	6-Year 6-Year
Ruud	EVR40-2	40	4500	D	56	0.91	21	45 3/4	6-Year 6-Year
Rheem	RHE PRO 40-2	40	4500	D	56	0.91	21	45 3/4	6-Year 6-Year
Ruud	RUE PRO 40-2	40	4500	D	56	0.91	21	45 3/4	6-Year 6-Year
Rheem	<b><u>82V40-2</u></b>	40	4500	D	53	0.92	19 3/4	46 1/2	6-Year 6-Year
Ruud	<b><u>PE2-40-2</u></b>	40	4500	D	53	0.92	19 3/4	46 1/2	6-Year 6-Year
AWHC	<b><u>E62-40R-045DV</u></b>	40	4500	D	54	0.92	20	47 1/4	6-Year 6-Year
Rheem	<b><u>83VR40-2</u></b>	40	4500	D	56	0.93	22 1/4	46 3/4	6-Year 6-Year
Ruud	<b><u>PE3R40-2</u></b>	40	4500	D	56	0.93	22 1/4	46 3/4	6-Year 6-Year
Rheem	81X40 D	40	4500	D	53	0.88	19	46	10-Year 1-Year
Ruud	ME40-2	40	4500	D	53	0.88	19	46	10-Year 1-Year
Rheem	82XR40-2	40	4500	D	56	0.91	21	45 3/4	10-Year 1-Year
Ruud	EXR40-2	40	4500	D	56	0.91	21	45 3/4	10-Year 1-Year
AWHC	<b><u>E92-40R-045DV</u></b>	40	4500	D	54	0.92	20	47 1/4	9-Year 9-Year
Rheem	<b><u>RHE PRO 40-2</u></b>	40	4500	D	56	0.94	22 1/4	46 3/4	8-Year 8-Year
Ruud	<b><u>RUE PRO 40-2</u></b>	40	4500	D	56	0.94	22 1/4	46 3/4	8-Year 8-Year
AWHC	<b><u>E123-40R-045DHV</u></b>	40	4500	D	54	0.92	22	47 1/4	12-Year 12-Year
<b><u>REGULAR 50 GALLON</u></b>									
Rheem	81MV52 D	50	4500	D	63	0.86	21	45 1/2	6-Year 6-Year
Ruud	PEM52-2	50	4500	D	63	0.86	21	45 1/2	6-Year 6-Year
AWHC	<b><u>E61-50R-045DV</u></b>	50	4500	D	58	0.90	20	50	6-Year 6-Year
Rheem	<b><u>82MV52-2</u></b>	50	4500	D	62	0.90	21 3/4	46	6-Year 6-Year
Ruud	<b><u>PE2M-52-2</u></b>	50	4500	D	62	0.90	21 3/4	46	6-Year 6-Year
Rheem	82MVR52-2	50	4500	D	60	0.92	23	45 1/2	6-Year 6-Year
Ruud	EMVR52-2	50	4500	D	60	0.92	23	45 1/2	6-Year 6-Year
Rheem	RHEM PRO 52-2	50	4500	D	60	0.92	23	45 1/2	6-Year 6-Year
Ruud	RUEM PRO 52-2	50	4500	D	60	0.92	23	45 1/2	6-Year 6-Year
Rheem	<b><u>83MVR52-2</u></b>	50	4500	D	62	0.92	24 1/4	46	6-Year 6-Year
Ruud	<b><u>PE3MR-52-2</u></b>	50	4500	D	62	0.92	24 1/4	46	6-Year 6-Year
AWHC	<b><u>E63-50R-045DCV</u></b>	50	4500	D	58	0.93	24	47 3/4	6-Year 6-Year
Rheem	81MX52 D	50	4500	D	63	0.86	21	45 1/2	10-Year 1-Year
Ruud	MEM52-2	50	4500	D	63	0.86	21	45 1/2	10-Year 1-Year
AWHC	<b><u>E92-50R-045DV</u></b>	50	4500	D	58	0.91	22	46 3/4	9-Year 9-Year
Rheem	82MXR52-2	50	4500	D	60	0.91	23	45 1/2	10-Year 1-Year
Ruud	EMXR52-2	50	4500	D	60	0.91	23	45 1/2	10-Year 1-Year
Rheem	<b><u>RHEM PRO 52-2</u></b>	50	4500	D	62	0.93	24 1/4	46	8-Year 8-Year
Ruud	<b><u>RUEM PRO 52-2</u></b>	50	4500	D	62	0.93	24 1/4	46	8-Year 8-Year
AWHC	<b><u>E123-50R-045DCV</u></b>	50	4500	D	58	0.93	24	47 3/4	12-Year 12-Year
Rheem	<b><u>MSR50245</u></b>	50	4500	D	54	0.94	28 1/4	47	Lifetime 6-Year

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
 Rheem RHEEM  
 Ruud RUUD  
 Brand Models

Element: 'D' Double; 'S' Single  
 ↑ 1st Hour Rating Gal.  
 ↑ Energy Factor

Warranty

Brand	Models	Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts
<b><u>LOWBOY 20 GALLON</u></b>										
AWHC	<b><u>E61-19L-045DV</u></b>	19	4500	D	NA	NA	16	31 1/4	6-Year	6-Year
Rheem	<b><u>82SV20-2</u></b>	20	4500	D	NA	NA	17	31 1/2	6-Year	6-Year
Ruud	<b><u>PE2S-20-2</u></b>	20	4500	D	NA	NA	17	31 1/2	6-Year	6-Year
Rheem	81SV20 D	20	4500	D	NA	NA	17	31	6-Year	6-Year
Ruud	PES20-2	20	4500	D	NA	NA	17	31	6-Year	6-Year
Rheem	81SX20 D	20	4500	D	NA	NA	17	31	10-Year	1-Year
Ruud	MES20-2	20	4500	D	NA	NA	17	31	10-Year	1-Year
<b><u>LOWBOY 30 GALLON</u></b>										
Rheem	81SV30 D	30	4500	D	41	0.89	21	29	6-Year	6-Year
Ruud	PES30-2	30	4500	D	41	0.89	21	29	6-Year	6-Year
Rheem	RHES PRO 30-2	30	4500	D	41	0.89	21	29	6-Year	6-Year
Ruud	RUES PRO 30-2	30	4500	D	41	0.89	21	29	6-Year	6-Year
AWHC	<b><u>E62-30L-045DV</u></b>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
Rheem	<b><u>82SV30-2</u></b>	30	4500	D	42	0.93	22 1/4	30	6-Year	6-Year
Ruud	<b><u>PE2S-30-2</u></b>	30	4500	D	42	0.93	22 1/4	30	6-Year	6-Year
Rheem	81SX30 D	30	4500	D	41	0.89	21	29	10-Year	1-Year
Ruud	MES30-2	30	4500	D	41	0.89	21	29	10-Year	1-Year
Rheem	<b><u>RHES PRO 30-2</u></b>	30	4500	D	42	0.93	22 1/4	30	8-Year	8-Year
Ruud	<b><u>RUES PRO 30-2</u></b>	30	4500	D	42	0.93	22 1/4	30	8-Year	8-Year
<b><u>LOWBOY 40 GALLON</u></b>										
Rheem	81SV40 D	40	4500	D	47	0.88	23	31 1/2	6-Year	6-Year
Ruud	PES40-2	40	4500	D	47	0.88	23	31 1/2	6-Year	6-Year
Rheem	RHES PRO 40-2	40	4500	D	47	0.88	23	31 1/2	6-Year	6-Year
Ruud	RUES PRO 40-2	40	4500	D	47	0.88	23	31 1/2	6-Year	6-Year
AWHC	<b><u>E61-40L-045DV***</u></b>	38	4500	D	45	0.92	22	31 5/8	6-Year	6-Year
AWHC	<b><u>E62-40L-045DV</u></b>	38	4500	D	45	0.92	24	31 5/8	6-Year	6-Year
Rheem	<b><u>82SV40-2</u></b>	38	4500	D	45	0.92	23	31 1/2	6-Year	6-Year
Ruud	<b><u>PE2S-40-2</u></b>	38	4500	D	45	0.92	23	31 1/2	6-Year	6-Year
Rheem	81SX40 D	40	4500	D	47	0.88	23	31 1/2	10-Year	1-Year
Ruud	MES40-2	40	4500	D	47	0.88	23	31 1/2	10-Year	1-Year
Rheem	<b><u>RHES PRO 40-2</u></b>	38	4500	D	45	0.92	23	31 1/2	8-Year	8-Year
Ruud	<b><u>RUES PRO 40-2</u></b>	38	4500	D	45	0.92	23	31 1/2	8-Year	8-Year
<b><u>LOWBOY 50 GALLON</u></b>										
Rheem	81SV52 D	50	4500	D	57	0.86	23	38 1/4	6-Year	6-Year
Ruud	PES52-2	50	4500	D	57	0.86	23	38 1/4	6-Year	6-Year
Rheem	RHES PRO 52-2	50	4500	D	57	0.86	23	38 1/4	6-Year	6-Year
Ruud	RUES PRO 52-2	50	4500	D	57	0.86	23	38 1/4	6-Year	6-Year
Rheem	81SV50 D	47	4500	D	55	0.87	26 1/4	32	6-Year	6-Year
Ruud	PES50-2	47	4500	D	55	0.87	26 1/4	32	6-Year	6-Year
AWHC	<b><u>E61-50L-045DV***</u></b>	46.5	4500	D	52	0.91	24	31 5/8	6-Year	6-Year
AWHC	<b><u>E62-50L-045DV</u></b>	46.5	4500	D	52	0.91	26	31 5/8	6-Year	6-Year
Rheem	<b><u>82SV50-2</u></b>	47	4500	D	55	0.91	26 1/4	32	6-Year	6-Year
Ruud	<b><u>PE2S-50-2</u></b>	47	4500	D	55	0.91	26 1/4	32	6-Year	6-Year
Rheem	81SX52 D	50	4500	D	57	0.86	23	38 1/4	10-Year	1-Year
Ruud	MES52-2	50	4500	D	57	0.86	23	38 1/4	10-Year	1-Year
Rheem	81SX50 D	47	4500	D	55	0.87	26 1/4	32	10-Year	1-Year
Ruud	MES50-2	47	4500	D	55	0.87	26 1/4	32	10-Year	1-Year
Rheem	<b><u>RHES PRO 50-2</u></b>	47	4500	D	55	0.91	26 1/4	32	8-Year	8-Year
Ruud	<b><u>RUES PRO 50-2</u></b>	47	4500	D	55	0.91	26 1/4	32	8-Year	8-Year

**Residential Electric Product**

**Need Help - Use Bookmarks on the left side.**

AWHC AMERICAN  
 Rheem RHEEM  
 Ruud RUUD  
 Brand Models

Element: 'D' Double; 'S' Single  
 ↑ 1st Hour Rating Gal.  
 ↑ Energy Factor

**Warranty**

Brand	Models	Gal.	Watts	Elt	1 <sup>st</sup> Hr	E.F.	Dia.	Ht.	Tank	Parts
<b><u>MOBILE HOME 20 GALLON</u></b>										
Rheem	<u>72V20-1</u>	20	4500	D	NA	NA	17 3/4	31 1/2	5-Year	1-Year
Rheem	71V20S	20	4500	D	NA	NA	17 3/4	31	6-Year	6-Year
<b><u>MOBILE HOME 30 GALLON</u></b>										
Rheem	71V30D	30	4500	D	46	0.89	17	45	6-Year	6-Year
AWHC	<u>MHE62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year
AWHC	<u>MHE62-30H-045DV</u>	30	4500	D	43	0.93	18	45 1/4	6-Year	6-Year
Rheem	<u>72V30-2</u>	30	4500	D	46	0.93	17 3/4	45 1/2	5-Year	1-Year
<b><u>MOBILE HOME 40 GALLON</u></b>										
Rheem	71V40D	40	4500	D	52	0.88	19	45 3/4	6-Year	6-Year
Rheem	<u>72V40-2</u>	40	4500	D	50	0.92	19 3/4	46 3/4	5-Year	1-Year
AWHC	<u>MHE62-40R-045DV</u>	40	4500	D	54	0.92	20	47 1/4	6-Year	6-Year
<b><u>MOBILE HOME 50 GALLON</u></b>										
Rheem	71V52D	50	4500	D	56	0.86	19	56 1/2	6-Year	6-Year
Rheem	<u>72V52-2</u>	50	4500	D	54	0.91	19 3/4	57	5-Year	1-Year
<b><u>TABLE TOP 40 GALLON</u></b>										
AWHC	<u>E62-38T-045DV</u>	38	4500	D	45	0.88	24	36	6-Year	6-Year
Rheem	<u>88H-40D</u>	40	4500	D	45	0.88	25	36	6-Year	6-Year
Ruud	<u>PET 40-2</u>	40	4500	D	45	0.88	25	36	6-Year	6-Year
<b><u>UTILITY 2 to 4 GALLON</u></b>										
AWHC	<u>E1E2.5US013V</u>	2.5	1350	S	NA	NA	14	14	6-Year	6-Year
Rheem	<u>81VP2S</u>	2.5	1440	S	NA	NA	9 3/4	14	6-Year	6-Year
Ruud	<u>PEP2-1</u>	2.5	1440	S	NA	NA	9 3/4	14	6-Year	6-Year
<b><u>UTILITY 6 GALLON</u></b>										
AWHC	<u>E61-06U-015SV</u>	6	1500	S	NA	NA	14	16 3/4	6-Year	6-Year
Rheem	<u>81VP6S</u>	6	2000	S	NA	NA	15 3/4	15 1/4	6-Year	6-Year
Ruud	<u>PEP6-1</u>	6	2000	S	NA	NA	15 3/4	15 1/4	6-Year	6-Year
<b><u>UTILITY 10 GALLON</u></b>										
AWHC	<u>E61-12U-015SV</u>	12	1500	S	NA	NA	16	22 3/4	6-Year	6-Year
Rheem	<u>81VP10S</u>	10	2000	S	NA	NA	15 3/4	23	6-Year	6-Year
Ruud	<u>PEP10-1</u>	10	2000	S	NA	NA	15 3/4	23	6-Year	6-Year
<b><u>UTILITY 15 GALLON</u></b>										
Rheem	<u>81VP15S</u>	15	2000	S	NA	NA	17 3/4	24 1/4	6-Year	6-Year
Ruud	<u>PEP15-1</u>	15	2000	S	NA	NA	17 3/4	24 1/4	6-Year	6-Year
Rheem	<u>MR15120</u>	15	2000	S	NA	NA	21 3/4	35 3/4	Lifetime	6-Year
<b><u>UTILITY 20 GALLON</u></b>										
AWHC	<u>E61-20U-015SV</u>	19	1500	S	NA	NA	18	25	6-Year	6-Year
Rheem	<u>81VP20S</u>	20	2000	S	NA	NA	19 3/4	25 1/4	6-Year	6-Year
Ruud	<u>PEP20-1</u>	20	2000	S	NA	NA	19 3/4	25 1/4	6-Year	6-Year
Rheem	<u>MR20120</u>	20	2000	S	NA	NA	23 3/4	34 1/2	Lifetime	6-Year
Rheem	<u>MR20230</u>	20	3000	S	NA	NA	23 3/4	34 1/2	Lifetime	6-Year
<b><u>UTILITY 30 GALLON</u></b>										
Rheem	68V30S	30	2000	S	43	0.89	21	29 1/2	6-Year	6-Year
Ruud	PESC30-1	30	2000	S	43	0.89	21	29 1/2	6-Year	6-Year
Rheem	<u>82VP30-1</u>	30	2000	S	42	0.93	21 3/4	30	6-Year	6-Year
Ruud	<u>PEP30-1</u>	30	2000	S	42	0.93	21 3/4	30	6-Year	6-Year
AWHC	<u>MHE62-30L-045DV</u>	28	4500	D	40	0.93	22	29 1/2	6-Year	6-Year